

Rice Lake BenchPro™ BP-R Series

Multi-purpose Retail Scale



FEATURES

- Large LCD display protected by heavy-duty tempered glass
- Powered USB HID point of sale interface—plug and play USB interface provides power and communications
- Interface for use with SMA, NCI and ECR
- Battery operation for portability (BP-R 12 × 14 in scale only)
- Gravitational compensation allows for adjustment of factory calibration to meet your local gravity setting, non-approved



Customer Display



Operator Display



MULTI-PURPOSE
RETAIL SCALES

PRICE COMPUTING
SCALES

PRICE COMPUTING
PRINTING SCALES

LABELERS

WRAPPING
SYSTEMS

SOFTWARE

ACCESSORIES

POWER
CONDITIONING

RETAIL
LABELS

WARRANTY

SPECIFICATIONS

Power:
100 to 240 VAC, 50/60 Hz ± 3 Hz
12 × 14 in scale only:
AA alkaline batteries (not included)

Battery Life:
250 hrs sleep mode or 80 hrs
continuous use, backlight on 80 hrs
sleep mode or 50 hrs continuous use

Screen Resolution:
0 to 1,000 d, 1.0 sec, maximum average
1,000 d +, 1.5 sec, maximum average

Communication Ports:
RS-232 DB 9-pin male to female,
straight pass through and null modem
(10 ft cable included)
USB A/B type (46 in cable included)
USB HID, 2.0 full speed, vendor ID
1C19, product ID 0002

Display:
Six-digit backlight LCD display with
1 in (25 mm) characters protected by
heavy-duty tempered glass

Platter:
Stainless steel

Keys/Buttons:
Zero, units, tare, F1

Temperature:
Certified: 14 °F to 104 °F
(-10 °C to 40 °C)

Warranty:
One-year limited

Approvals:
NTEP 07-002
Measurement Canada AM-6050
CE



Measurement
Canada
Approved



PART NUMBER/PRICE

PART #	MODEL/ DESCRIPTION	CAPACITY					STAINLESS STEEL WEIGHT PLATTER	EST. SHIP WEIGHT	PRICE
		LB	LB/OZ	OZ	KG	GRAMS			
182374	BP 0610-6R	15 × 0.005	15lb × 0.1 oz	240 × 0.1	6 × 0.002	6000 × 2	6 × 10 in	12 lb	Consult
182375	BP 0610-15R	30 × 0.01	30lb × 0.2 oz	480 × 0.2	15 × 0.005		6 × 10 in	12 lb	Consult
182376	BP 1010-6R	15 × 0.005	15lb × 0.1 oz	240 × 0.1	6 × 0.002	6000 × 2	10 × 10 in	15 lb	Consult
182377	BP 1010-15R	30 × 0.01	30lb × 0.2 oz	480 × 0.2	15 × 0.005		10 × 10 in	15 lb	Consult
179733	BP 1214-6R	15 × 0.005	15lb × 0.1 oz	240 × 0.1	6 × 0.002	6000 × 2	12 × 14 in	17 lb	Consult
179732	BP 1214-15R	30 × 0.01	30lb × 0.2 oz	480 × 0.2	15 × 0.005		12 × 14 in	17 lb	Consult



Rice Lake BenchPro™ BP-R Series

Multi-purpose Retail Scale

OPTIONS/ACCESSORIES

PART #	DESCRIPTION	PRICE
183103	16 in tall table top display post (use with PN 180901 only)	Consult
174783	Column bracket and post, Model BP 1214 only	Consult
180901	2nd Remote Operator Display, BenchPro Series with 6 ft cable and capacity labels	Consult
174784	2nd Remote Operator Display, BenchPro Series with 6 ft cable, keypad and capacity labels	Consult
178501	RS-232 - USB Serial Converter	Consult
174786	USB Cable	Consult
174782	AC power supply with cable	Consult
196179	Wedgeline cable for direct RS-232 input, 9600-N-8-1	Consult

DIMENSIONS

BP 0610			
A	6.0 in	D	2.4 in
B	10.0 in	D	+ 0.2 in (adjustable height)
C	9.0 in		

DIMENSIONS

BP 1010			
A	10.0 in	D	2.5 in
B	10.0 in	D	+ 0.2 in (adjustable height)
C	13.0 in		

DIMENSIONS

BP 1214			
A	12.0 in	D	2.7 in
B	14.0 in	D	+ 0.5 in (adjustable height)
C	14.5 in		

